EQUATE TUSSIN CF- dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride solution Wal-Mart Stores Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Wal-Mart Tussin CF Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 200 mg Phenylephrine HCl, USP 10 mg

Purposes

Cough suppressant

Expectorant

Nasal decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold:
- nasal congestion
- cough due to minor throat and bronchial irritation

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

When using this product

do not use more than directed

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children 12 years and over	10 mL every 4 hours	
children under 12 years	do not use	

Other information

- each 10 mL contains: sodium 5 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose

Questions or comments?

1-888-287-1915

Principal Display Panel

Compare to Robitussin[®] Multi-Symptom Cold active ingredients

PEAK COLD

NON-DROWSY

Adult

 $Tussin\,CF$

Cold Multi-Symptom

Dextromethorphan HBr - Cough suppressant

 $Guaifenes in \hbox{--} Expector ant$

Phenylephrine HCl - Nasal decongestant

Relieves:


Cough

Nasal congestion

Mucus

Ages 12+

4 FL OZ (118mL)



OSTREBUTED BY Webrart brc., Bentonville, BR 72716 This product is not manufactured or distributed by V LLC, owner of the registered trademark Robilussin®.

Safisfaction guaranteed – Or we'll replace it or give you your money back. For questions or comments please call 1-888-287-1915.







PEAK COLD

Adult

NON-DROWSY

Tussin CF

Cold Multi-Symptom

Dextromethorphan HBr -

Guaifenesin - Expectorant

Phenylephrine HCI -

Nasa decongestant

Nasal congestion



Drug Facts

Active ingredients (in each 10 mL)

Purposes

- Uses

 I helps loosen phlegm (mucus) and thin
 bronchial secretions to drain bronchial tubes

 I temporarily relieves these symptoms
 occurring with a cold:

 nesal congestion

 cough due to minor throat and
 bronchial irritation

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's diseases), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have
■ heart disease ■ high blood pressure
■ thyroid disease ■ diabetes

- trouble urinating due to an enlarged proetate gland

 cough that occurs with too much
- cough that occurs with too much phlegm (mucus)
 cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

When using this product do not use more

- Stop use and ask a doctor if
 you get nervous, dizzy, or sleepless
 symptoms do not get better within 7 days
 or are accompanied by fever
- cough lasts for more than 7 days, come back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

- Directions

 do not take more than 6 doses in any 24-hour period
 measure only with dosing cup provided lesep dosing cup with product
 mL = milliter
 this adult product is not intended for use in children under 12 years of age

	in office of and of the your of ago		
П	age	dose	
	adults and children 12 years and over	10 mL every 4 hours	
П	children under 12 years	do not use	

Other information

■ each 10 mL contains: sod ■ store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, edetate disodium, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose

Questions or comments?



PARENTS:

www.StopMedicineAbuse.org





Adult

Tussin CF

Cold Multi-Symptom

Dextromethorphan HBr -**Guaifenesin - Expectorant** Phenylephrine HCI -Nasal decongestant


- Nasal congestion
- Mucus

Ages 12+

4 FL OZ (118mL)



4 FL OZ (118mL)





LOT NO.

EXP.

: 51626 2E C10

EQUATE TUSSIN CF

dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride solution

Product Information HUMAN OTC DRUG NDC:49035-516 Product Type Item Code (Source) **Route of Administration** ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL	
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 10 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
SORBITOL (UNII: 506T60A25R)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		

Product Characteristics			
Color	RED	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

F	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-516-26	1 in 1 CARTON	03/10/2006	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49035-516-34	1 in 1 CARTON	04/21/2006	
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/10/2006	

Labeler - Wal-Mart Stores Inc (051957769)

Revised: 9/2019 Wal-Mart Stores Inc